ELECTRON BEAM EXTRACTION TRAJECTORY AS A FUNCTION OF EXTRACTION VOLTAGE ON PULSED ELECTRON IRRADIATOR

Suprapto, Taufik, Djoko Slamet Pudjorahardjo, Ihwanul Aziz, Saefurrohman, Agus Purwadi*

Center for Accelerator Science and Technology — BATAN

Jl. Babarsari POB 6101 Ykbb, Telp. (0274) 488435, Yogyakarta 55281, Indonesia

ABSTRACT

ELECTRON BEAM EXTRACTION TRAJECTORY AS A FUNCTION OF EXTRACTION VOLTAGE ON PULSED ELECTRON IRRADIATOR. It has been carried out the studying of electron beam extraction of from Pulsed Electron Irradiator (PEI) device using 3D Opera simulation program. In this study, the extraction voltage of PEI was varied to know its effect on extracted electron beam trajectory. Plasma electron beam from Plasma Generator Chamber (PGC) is extracted toward acceleration region by external high voltage (V) and then it is passed through the foil window of PEI for being irradiated to the sample. Methodology in Opera simulation program consists of how to get the relation equation of the electron beam current j_e with the extraction voltage V, usage of its shape and measurement of the both of grid system geometry and PEI. PGC is made of Stainless Steel (SS) with cylindrical shape in diameter of $\Phi = 30$ cm and length of l = 90 cm, electron extraction window as many as 975 holes on the area of (15×65) cm² with extraction hole cell in radius of r = 0.3 mm respectively, a cylindrical shape PEI chamber is made of SS in diameter of $\Phi = 70$ cm and length of l = 130 cm. Electron beam extraction from the plasma surface is showed in simulating (3D opera program) based on usage of plasma surface potential data of 150 V with extraction voltage which is varied by values of V = 5 kV, 10 kV, 20 kV, 30 kV and 100 kV. Simulation yield shows that the electron extraction beam current from PGC occured when there is applied extraction voltage of V = 20 kV and successive the extraction current density becomes denser with increasing the extraction voltage V.

Keywords: plasma electron beam, extraction, PEI, PGC.

INTRODUCTION

As a support for the achievement of research activities target in 2016 at PSTA Batan Yogyakarta, it has been studied the electron beam extraction from the window of Plasma Generator Chamber (PGC) as well as the simulation of electron beam trajectory in the accelerator region of the Pulsed Electron Irradiator (PEI). Electron beam simulations were performed using the Opera 3D program on the basis of surface potential 150 V data with a high voltage extractor V being varied from 5 kV, 10 kV, 20 kV, 30 kV and 100 kV respectively.

A gas in PGC is heated to a temperature specific to the material then its constituent atoms will ionize into electrons and positive ions. If the heating in PGC is continued, that is by increasing the voltage between the two electrodes, the number of ions and electrons increases, so that when it reaches a certain limit, the charge will be in equilibrium with the constituent atoms into plasma. A quasi-neutral plasma is a mixture of particles; ions, electrons, free radicals and molecules/atoms that are sensitive to electric and magnetic fields [1].

The plasma cathode electron source module is a pulse electron beam generator where the electron beam is formed by the emission or extraction of electrons from the plasma surface within the PGC. The electron plasma is emitted outward to the accelerator zone through the grid hole (extraction system) mounted on the PGC wall. In the accelerator regions the electron beam is accelerated to a maximum speed by the Coulomb field using an external high voltage

FURCTRON BEAM IN CUACTION WAS LEST ONLAS A SUNCTION OF EXTREMEDIA ON PULSED BURGED ROWN MEADINFOR

Supergrand neckle Hedic Mexica Cadest Susesha Recess at Arie Suchermanne Agus Purvessi. Caskapfor Suskafor Suska Aresta Schware ne Cakares ne Arekapfor - 1.677.17. Meskackar LPOR ustat Moses Sufperson and Arie Sufferson.

工分子 新丁利姓氏

ELECTRON ELAN EXTRACTOR TRAINFORM AS A RENGTON OF EXTRACTION VOICEVER ON CLAND DEFITION TRANSMITTED TO BE SEE corried and the stadying of circum beam extraction of flow Pulsed liberaries tradicing (Pt. i). device asing 3D Open simulation programs in this such the extraction votage of PPI vosreconstructed gordock amounts reconstruction and reconstructions are said at a second or being redefil leavesco of meiger noncretores based because at COO reducati) recorded consell college (1) and then it is posed missign the fell whiches of PFI for being irreduced on the control vietaritative alla regioni svali tra polossi si dia grang noto si cono sangri i al vyetictimatativi sobjetio than bands all to peaks it begins contributes wit days it haves more more example with the more restained to show at Oldi. This can green any make a thing to shod out to mentione make a resoluting the # Vito firster land the land of the he specialist in signification of the (82) The stational mailtanaire and the first (the kill) to come odd no soled by the quantum and make as brokens. in radius of r=0.4 and respectively, a cylindolesi stage PM chamber is made at SS in diameter \sim values remaining ode which extremely a maniform and ϕ and ϕ . In the depend one case $W \sim \Phi$ to To mak kalingang sudham ancada ta ngara na lawad carantong maya (16,4 galidarah, al lawaan), um 1996 1996 MAGE DECEMBER out of both contributions of the contribution of a Mage Appearance Will recall tenerate report and practice energy, to tade and a confectivity ententance in MA 901. merane noticeans with cricebook, than Mit 92 = 1 to see the maintaintee beliggs at back make A copellar transcence out get, south the recoeff comment of facts

ika, words i phasos electron benn, i stantian. Phil. PGC

PRESENTED BY THE STREET

As a support for met schiosement of research arrivings larged in 1700 of 1800 A linear As a support is has been stood on the character from the distance of the second of the character for a linear and the character (1704) as a linear and the character of the filles of the following the character (1704) and the character of the filles of the filles of the character of the filles of the character of the character

A green PCC is begin a compositive positive in the natural that it is contained that its consistent assessed as an indicated and positive in the isoming in PGC is continued, and is by increasing the variety between the two electrodes, the manber of from advections increased as that when it cooless a contain bath, the charge will be in equilibrium with the constitutes a ground in a plantage of particles in a plantage of particles and the constitute of particles, took electrons the constitute of particles, took electrons in and argument fine condition.

The plasma embeds of sense analysis of pulse charges been gonerants where the standard beam gonerance where the standard beam beam is focused by the costs of or estandard or estandard or the acceptance of the acceptance of the second or the second or the acceptance of the control of the costs of the second or the POC wait. In the acceptance acceptance acceptance of the control of the costs of the control of

which is subsequently extracted to the target through the foil window on the vacuum chamber wall of the PEI. PEI devices with large and large-sized electron beam output will be very useful to be applied to a wide flat surface material. The PEI device is highly promising for use in a variety of industries including health for the toxic materials processing industries (natural rubber latex), surface modification of the semiconductor and polymer industries, and the food industry for pasteurization without damaging texture and nutrients, as well as for neutralization of waste [2-3].

Determination of discharge type in PGC whether with corona discharge, glow discharge and arc discharge will depend on value of trigger power supply utilization, plasma generator power supply and PGC geometric shape and size. In accordance with the system of Pulsed Electron Irradiator (PEI) that require large order discharge runs of up to hundreds of amperes (A) and relatively small discharge voltages of tens of volts then arc discharge [4] should be used. The occurrence of electron beam emission from plasma surface through emission window can be shown from simulation result using Opera 3D program device, that is with geometry data input form and size of PGC and PEI, extraction / grid hole diameter and big extractor electron voltage. The similar simulation has been done using SIMION 8.1 software to study the behavior of electron beam extracted from electron gun in electron beam machine (EBM), especially the dependence of electron beam diameter size on the applied extraction voltage. The simulation of electron beam trajectory in PEI has also been carried out using SIMION 8.1 software.

The purpose of this research is to show the electron beam extraction process from the plasma surface through the extraction window on the PGC wall, and to obtain the relationship equation between the extraction voltage of the beam to the electron extraction current density to perform the simulation of the electron current file trajectory using the Opera program.

THEORY

The most specific circumstance in the PEI system is that the plasma has a positive potential for the discharge electrode [5]. For electrons to be able to overcome the potential barrier in order to be extracted from the plasma surface to the acceleration zone. The position of the plasma electron emission limits of the plasma source can occur in 3 (three) forms of the emitted plasma surface positions, which are influenced by the large parameters of plasma density and the magnitude of the external voltage electric field [6]. The position of the electron's emission limits from the plasma (source) surface will be convex-shaped when the plasma with high density and or weak of extractor electric field resulting in the electron beam is out of focus. For the value of plasma density match electric field then it will produce electron beams that are parallel to each other and the position of the electron's limit of emission from the plasma (source) surface will be flat. The position of the electron's limit of emission from the plasma (source) surface to be convex to the moment of low plasma density and or strong electric field will produce a focused electron beam.

Plasma has a positive potential to the wall that encloses it. The charge shell l_s is formed between the plasma surface and the wall of the plasma occupied material. The electrons move faster leaving the plasma at a rate greater than the more massive ionic velocity and the wall contained negatively to the plasma. The plasma potential relative to the wall (expressed in volts) depends on the size and shape of the geometry and the plasma parameters such as temperature and plasma density. The boundary layer is called the plasma sheath or sheath thickness is the shielding distance λ_D shown at the plasma potential versus distance (plasma to wall surface) as shown in Figure 1 [7].

The phenomenon of plasma electron extraction in PEI system is more complex than ion extraction from plasma. For the formation of the electron beam, the addition of the collector potential φ_k or the extraction voltage V must correspond to the rising velocity (v) and power

which is anisotypound conserted as two regardenesses in the half education on the range was two elements with PEL devices with target and large-sixed cicercon beam enquesting with he contracted as the contract in the regarded in the contract in the contraction of including the material processing the material contract contract includes a security and processing the medification of the semiconductor and polymer includency, and then below to process the medification of the semiconductor and polymer includency, and then below to process the medification of the demograph to the semiconductor and polymer includes the contralization of and class that it is a few and the first that it is a few and the semiconductors and polymer includes the contralization of and class that

Household the discharge type in 1900 visities with control of the property of incharge, placed discharge all depends on value of infigure property and incharge all depends on values of infigure property and indicating all follows and the states of the indication of the space of the discharge translation of the indication follows and the states of the discharge translation in indication of the discharge of the states of the discharge of the discharge of the discharge translation of the discharge of the discharge translation of the discharge translation of the discharge translation of the discharge of the discharge of the discharge translation of the discharge translation of the discharge of the discharge.

the purpose of this research is to drow the crossed beam connetion process near the plantage arthur the principal file extending whicher its of a Carolian the object the relationship of the bonn to the obequences the content the extending voltage of the bonn to the obsquences extending orders and the bonn the characters of the trade to the characters of the object of the trade to the characters of the trade to the characters of the trade to the trade to the characters of the trade to the characters of the characters of the trade to the characters of the trade to the characters of the characters of the trade to the characters of the ch

THEFT

The most specific discumstance of the PEI system is that the pinsum to a positive proportial for the discumpted belonded [5]. For electrons to be able to the execute the product of the plantal extrine the order to be executed from the pinsum extreme to the positive of the planta discuss electron contents distributed planta discuss a currence position. This is also the parameters of the continual planta author positions. This is an influenced by the tage parameters of class discussion and the anagentation of the position of the planta discussion limits from the planta (source) exettice will be convex-shaped when the planta of tocates itself to the value of pinsum density and a convex shaped when because the recent planta of the value of pinsum density and the position of the electron's first phastas essence) surface will be discussed electron of the electron's float will produce a focused electron comes of low planta density and or strong clearly field will produce a focused electron come.

Present to the street of a file possition to the well that encious it. The element his beauth of the placement between the placement of the placement of the placement of the electron of the placement of placement of the placement of placement of the placement o

The some participation of the continue of the continue of the sound of the continue of the con

Compared to the c

(W) for the ion or electron. The current density of electrons to the collector of j_e at the relativistic particle velocity is given by the Boltzmann equation [8] as follows:

$$j_e = j_{e0} \exp\left(\frac{-e\left(\varphi_p - \varphi_k\right)}{k T_e}\right) \tag{1}$$




Figure 1. Potential plasma versus distance (plasma surface to the wall) [7].

and

$$j_{e0} = \frac{1}{4} e \, n_0 \, v \tag{2}$$

with j_{e0} is the electron current density of thermal plasma/maximum, e = electron charge = 1.602 × 10-19 C, φ_p = plasma potential, φ_k = collector potential, k = Boltzmann constant = 1,381 × 10-23 J/K, T_e = plasma temperature, n_e = plasma density and v = electron relativistic velocity.

At the electron source, to extract the electron beam, an extraction voltage of V is applied to the cathode and the anode as shown in Figure 2 [9]. Shown in Figure 2 the formation of the plasma electron beam at a voltage V at the initial moment (t = 0) and then for the t = 0 the plasma electron boundary gradually moves toward the anode with velocity v_p .




Figure 2. The beam-forming electrode of plasma development [9].

The extraction voltage V is determined by the following differential equation [10-11]:

on the first that the common the common substitution is a second of the second of the

[17] Minarcherian de la comercia distribución i comercia de la comercia del la comercia de la comercia del la comercia de la comercia del la comercia de la comercia del la comercia

1994 - agains across on a mineral messing barried, a quently morar mession of a last of the control of the cont

· ; ;

4	to the		t teta :	4.5 (5.42)	f Africa
		3. ⊊1.			
:				•	
		A. C.			
					*

		$\mathcal{F}_{i} = \mathcal{F}_{i}$:	Ŋ	

The transfer of the field of the second section $\mathcal{L}_{\mathcal{A}}$ and the second section $\mathcal{L}_{\mathcal{A}}$

at 1991) arche qui formatantibi qui e altri urit ya (esemeranta) et e ugado a coltentato da fa

okomo na katende oda en odaken datak tarishen en era tekolometa tarishta darrataga kiralitet kan era era ero o Onografia

$$\frac{d^2V}{dx^2} = \frac{j_e}{\varepsilon_a \sqrt{2\eta} V^{\frac{1}{2}}}$$
 (3)

with j_e is the density of the electron beam, ε_o is the dielectric constant, η is the charge ratio with the electron mass (e/m) and V voltage applied to the anode-cathode terminal. This equation is solved by assuming that the area outside the electron stream is a charge-free region adjacent to the parallel plane of the electron flow region and the boundary condition y<0 for the electron flow region and y>0 for the charge free region (on the outer side of the electron flow). It is expected that the trajectory of the electron beam is aligned parallel to the axis and there is no change towards y then the relationship [11] is applied.

$$\frac{\partial V}{\partial v} = \frac{\partial V}{\partial z} = 0 \tag{4}$$

and

$$V = f(x) \tag{5}$$

with f(x) is the solution which is the distance function electrode voltage and uses the x + jy analysis function then [11].

$$V = Real f(x + jy)$$
 (6)

$$V = \frac{1}{2} \left[f(x+jy) + f(x-jy) \right] \tag{7}$$

since V is limited symmetrically around y = 0, $\frac{\partial V}{\partial y} = 0$ at y = 0 then the parallel electron flow interpretation corresponds to the boundary conditions in the free region. For the flow of electrons from the cathode extracted through the anode gap of the voltage gradient is zero at zero potential, according to J.R. Pierce [11] by integrating equation (3) can be obtained

$$V = f\left(x\right) = \left(\frac{9 j_e}{4 \varepsilon_o \left(2 \eta\right)^{\frac{1}{2}}}\right)^{\frac{2}{3}} x^{\frac{4}{3}} \tag{8}$$

Equation (8) can be used to calculate the magnitude of the potential to be mounted on a Pierce electrode with a focusing electrode angle of 67.5 ° to obtain an electron beam trajectory that is nearly parallel to the axis of the beam.

METHODOLOGY

Schematic of the Pulse Electron Irradiator (PEI) system is shown in Figure 3 [12]. The electron extractor anode (grid shape) mounted on the bottom of the PGC on the PEI system serves as a controller of the plasma electron emission currents extracted from the plasma surface. PEI consists of two electrode systems of producing plasma (2, 3 and 4) on the left and right side of PGC. The electrode systems have two power supplies, the trigger power supply (7) and the plasma generator power supply (8). The trigger power supply has a voltage specification of 10 kV, and the energy of 100 mJ passes the voltage through anode (2) and through the insulator/teflon (3) will form the plasma spot (10) on the cathode surface (4) via the surface discharge process at PGC (1) with a certain gas pressure. Then the plasma spots formed will be scattered by the plasma generator power supply (8) and the accelerated

(i) In the second of the se

o para la servicio de la celegia en construir de la servició de la colonidad de la calegada en la estreción de Esta la central de la colonidad de la colonida

seed is supported by the first of the first

and the state of the person to be the second of the second to the second of the second

and a finished figures and the contract of the period of the experimental to the finished of the period of the contract of the

(i) In the control of the control

order (1889) febbes i krest ertt i de gelek ein det stelle ekkinskrivitet betretten er i trock i kommen. År til te som i krest kommen er trock i kommen. spot plasma scatter will ionize the gas in the plasma chamber cavity formed plasma arc discharge (11) around the hollow anode PGC area, and when both electrode systems are working in unison then the entire anode space will form a plasma arc discharge. By an accelerator voltage (9) electrons passing through the grid (5) will be accelerated until they are able to penetrate the foil window (6) which is further utilized for the irradiation of the sample (material).

To obtain a plasma spark from the ignitor electrode system then what is needed is how much voltage is mounted on the ignitor electrode system and its compatibility with the distance of the ignitor plasma electrode and the gas pressure inside the plasma chamber. After the plasma spark is obtained, it is known that the requirement of plasma arc discharging by arc discharge stress is present in plasma generator electrode. The plasma arc discharge on the plasma




Figure 3. Schematic of the Pulse Electron Irradiator (PEI) system [12]: 1-Plasma Generator Chamber (PGC), 2-Ignitor electrode, 3-Isolator/Teflon, 4-Cathoda, 5-Grid, 6-Foil window, 7-Ignitor power supply, 8-Plasma generator power supply, 9-Accelerator high voltage, 10-Spot plasma, 11-Arc discharge plasma.

generator electrode shall meet the requirements of breaking determined by the voltage applied to the plasma generator electrode, the distance between the plasma generator anode and the ignitor electrode, as well as the gas pressure in the plasma generator [13]. The ignitor electrode attached to the right and left sides of the plasma generator electrode system is equipped with a system of Ignitor Discharge Power Supply (IDPS), which provides a 10 kV, 100 mJ power supply; and a plasma generator electrode connected to a system of Arc Discharge Power Supply (ADPS) that provides the voltage of 1 kV to produce the plasma arc discharges with current (5-10) A and pulse widths (10-100) µs in the PGC. Vacuum pumps are used to work on PGC and PEI chambers up to the order of 10⁻⁴ mbar, and external extractor high voltage up to a hundred of kV are enabled to accelerate and enlarge the electron power out of the grid system on the PGC wall toward the titanium (Ti) and then on target.

The electron-beam plasma fraction at the center of the open plasma area will be much larger (higher) than at the edges of the emission hole, this can be done by observing the plasma equipotential distribution in the electron extraction hole area on the PGC wall simulated (Opera program) on the basis of the use of potential surface data of 150 V by varying the magnitude of the high voltage extraction of V. PGC can be used Stainless Steel (SS) material of diameter $\Phi = 30$ cm and length of l = 90 cm, the electron extraction window (15×65) cm² along the side of the electron extraction window there are 15 pieces of grid holes with radius r = 0.3 mm respectively, the PEI chamber was made of SS in the form of a cylindrical with diameter of $\Phi = 70$ cm and length of l = 130 cm.

Holas Hero (Most public protection) is successful to the control of the subject of the control of the control



en de la composition La composition de la La composition de la

on to the final stability of the second field in a few distributions and a few assistances of the second field in the second field field in the second field fie

The simulation of electron beam extraction on the PEI from the plasma cathode electron source in order to produce a focused electron beam and having a trajectory of bearing close to the axis is done by stages: calculation in analytical /mathematically relation of electron beam current density (J_e) theory of density versus electron extraction voltage (V), and the geometry of the electron grid source system is continued simulated using the 3D opera program. The 3D opera program has also been used to design and simulate multi-beam electron sources on Klystron [14]. In the analytical calculation begins with the translation of the equation to obtain the relationship equation between the cathode-anode voltage (extracting voltage), the distance of the cathode-anode and extractable electron beam currents. The calculation of electron beam extraction voltage is carried out by the variation of the extraction voltage on the electron beam current with the fixed cathode distance taken (275 mm) that is adjusted to the PEI construction geometry. For the simulation begins by creating a geometry image of focussing or grid system of the electron source around the window, after the manufacture is continued simulating of the electron beam extraction. Extraction simulation was performed by variation of V extraction voltage of 5 kV, 10 kV, 20 kV, 30 kV and 100 kV.

RESULTS AND DISCUSSION

For the elucidation of the equations / relationships between electron V acceleration voltages to the density of the thermal electron beam J_{e0} flow to the x-axis can begin with the statement that the plasma boundary in the electron plasma diode will have much the same behavior as the ion extraction of extractor field change. The steady state position of the plasma electron emission surface that limits the area of the electric field E is determined by the conditions of the electrostatic field pressure equation and the kinetic pressure of the plasma gas electrons [15]:

$$\varepsilon_0 \frac{E^2}{2} = n_e k T_e \tag{9}$$

This can mean the sheath thickness of the negative space l_c (the distance between the plasma electron emission limits to the collector = x) for the installation of the electron accelerating voltage V can be determined in the same way as for the relativistic speed plasma ion emissions ie

$$\binom{4/9}{9} \binom{2e}{m_e}^{1/2} \varepsilon_0 V^{1/2} / x^2 = e \, n_0 (kT_e / 2\pi m_e)^{1/2}$$
 (10)

Bearing in mind that for electrons to move at relativistic speeds then according to Boltzmann's law the speed is expressed as

$$v = (8kT_e/\pi m_e)^{1/2}$$
 (11)

substitution of equation (11) to the equation (10) we obtain equation:

$$\binom{4/9}{\binom{2e}{m_e}}^{1/2} \varepsilon_0 V^{1/2} / x^2 = \frac{1}{4} e \, n_0 \, v \tag{12}$$

Equation (12) is identical to the equation (1) or can be written as:

en 1900 et en entre lada antici de 1800 en en el alemento de estación des cara los una tradeción de cual. El and the congress of the common of the contract and the field of the field of the second The second of the second The second of the at North and the county of daily of the county of the day. ra i leu dra llegat mercitti di enjigera teologici. a principal kada parti 1906 - Kabapatea da arabi tara yang pake a alibera 1906 - 1906 - 1906 - 1906 - 1906 - 1 in the engineering of the transfer in the control of the book Burk of the Children with the e en landusting anteres de g in the contract to people the indicate our and the common services and the company of the services with the services of the common services and the services of the common services are services as the services of the common services are services as the services of the common services are services as the services of the services are services as the services are services as the services are services are services as the services are servi e de relation de la company and the second of the second of the second and the state of the state of the state of (4) The second of ologija sa propinski propinski sa propinski sa propinski sa propinski sa propinski sa propinski sa propinski s Propinski sa propinski s Control of the first of the party of the Constitutions

计自由系统 医抗原体 医皮肤 医皮肤

te la partir de la companya del companya del companya de la companya de la companya de la companya de la companya del comp

one in colore consello de sille de la company de conserva de la colore de la colore de la conserva de la colore La conserva de el del region de la colore de la conserva de la colore de la colore de la colore de la colore d La colore de la colore del colore de la colore del colore de la colore de la colore del la colore de la colore del colore del la colore del la

. Dan et al mende de la composition de la composition de la description de la description de la composition de Altre de la composition de la composit

Talk tale over the research which is after gains based in Maria 4 History

to better the second someone of a second contract with a

or of the order of the test of the test of the test of the test of the content of the test of the test

$$\binom{4/9}{9} \binom{2e}{m_e}^{1/2} \varepsilon_0 V^{3/2} / x^2 = j_{e0}$$
 (13)

Equation (13) is the relationship between the electron acceleration voltage V on the density of the thermal electron beam current $j_{e\theta}$ toward the x axis or by substitution $e/m_e = \eta$ can be written as:

$$V = f(x) = \left(\frac{9 j_{e0}}{4 \varepsilon_o (2 \eta)^{\frac{1}{2}}}\right)^{\frac{2}{3}} x^{\frac{4}{3}}$$
 (14)

Equation (14) which is identical with equation (8) in the theory chapter can be used to determine the extractor voltage V by using the Opera program.

Figure 4 shows the cross-sectional of potential space of PEI chamber with a diameter of $\Phi = 70$ cm and length of l = 130 cm. PGC cylindrical shape with diameter size $\Phi = 30$ cm and length l = 90 cm made of SS material inside PEI chamber with at the bottom made the electron extraction window of width (15×65) cm². Figure 5 shows a grid hole of 15 pieces on the lower PGC wall along the side of the electron extraction window (15×65) cm² with the radius size for each hole r = 0.3 mm. Thus in the extent of the electron extraction window there are 975 electron extraction holes[16].




Figure 4. Cross-sectional of potential space of PGC chamber ($\Phi = 30$ cm, l = 90 cm) with the width of extraction window (15×65) cm² in the cylinder PEI chamber ($\Phi = 70$ cm, l = 130 cm).

the second s The second se The second second

•

tion and the computation products of the control of

en de la companya de Mandra de la companya de la company

on who well about the figure in entremone of the flore interest of the first of the first black and the entremone of the entremone of the first of the first of the first of the entremone of the






Figure 5. Grid hole as many as 15 pieces along the side of the window extraction area (15×65) cm² with radius size for each hole r = 0.3 mm.

The simulation results using the 3 D opera program for the electron beam extraction trajectory with its various extraction voltage of (5 kV, 10 kV, 20 kV, 30 kV, 100 kV) at a surface potential plasma of 150 V and an electrode (cathode-anode) distance of 275 mm is as shown in Figure 6.a. up to Figure 6.e.

The relationship between the extraction voltage V proportional to the beam current density j_e in equation (14) can be applied to both the ion source and the electron source. In the ion source application the amount of ions extracted corresponds to the number of ions available so that even the enhanced extraction voltage will not increase the ion beam currents. In contrast to the electron source, the electrons in PGC will always be available and multiplied by increasing the extraction voltage V. As shown in equation (1) that the electron electric current density j_e be exponentially increases with the extractor voltage increase (plasma potential difference of φ_p with extractor/collector potential φ_k) and the current density will be



 Extraction trajectory of of plasma electron beam currents at 5 kV extraction voltage (no electron extraction yet).



5.b. Extraction trajectory of plasma electron beam currents at 10 kV extraction voltage (no electron extraction yet).

Salaha kang M Salah salah kang kang dibih Manah salah salah salah salah


्रतात तथा है। यह देशने के तीम स्थान क्षेत्रक कराइ के की किन्या है। यह किन्ने के कुनाम सुधी अन्तर्भ कर सुधी स्थान में किन्ने किन्ने स्थान

endinessen solveri terma na mis pod obcolo seg vicina (d. 1) er inniha vezet poenisti kisto est i i na mod seg i Nedi Dendiniha, mono rimbo a di Poengador en ropa proposali se seg si i poste signatura na modeliki kina se sed i por semenda a mono en ropa modeliki te seg enigati su er en poenas n na modeliki poesa ese paja i poste seg e


> tem kolonistik a kwa mfa to Storiji kwaga wakata in Soli kwa kwa kwa kwa masani mala kwa Mili kwa kwa alia Soli mwala po

(4) An analysis of the targette of the particular of the control of the contro


and the field of the control of the second of the control of the control of the control of the second of the control of the co



 Extraction trajectory of of plasma electron beam currents at 20 kV extraction voltage (electron beam extraction occurs).



6.d. Extraction trajectory of plasma electron beam currents at 30 kV extraction voltage (electron beam extraction occurs with increasing density of the beam)



6.e. Extraction trajectory of plasma electron beam currents at 100 kV extraction voltage (electron beam extraction occurs with the largest file density).

Figure 6. Extraction simulation results with its electron beam trajectory.

maximum when $\varphi_p = \varphi_k$ is the amount of thermal current density/saturated j_{e0} . For a further increase in V extraction voltage will not increase the electron extraction current but will only increase the magnitude of the energy. On the basis of the simulation results (Figs 6.a and 6.b) it is found that for the 5 kV and 10 kV extraction voltages, the electron beam has not been extracted. In this condition there is still a potential barrier so that the extraction of electrons from the plasma surface to the acceleration region has not occurred. It also means that the magnitude of the potential barrier is still equal to the power of the electron beam flow to the anode $(j_e = j_a)$.

and Market Corp. Levels with a first Corp. (1986) Society Corp. (1986) Society Corp. Corp. (1986)

and the control of duty of the second goal of the design of the control of the second goal of the second goa

gran father and control of the property of the state of the significant of the significan

the set of an absolute set of section $H_{\rm s}(\mathcal{S})$ and \mathcal{S}

A consist of the first of the second content of the secon

en de la completa del completa de la completa de la completa del completa de la completa del la completa del la completa de la completa de la completa del la completa de la completa de la completa del la completa del

In Figure 6.c the electron beam starts to appear extracted at the extraction voltage V = 20 kV, then in Figure 6.d when the extraction voltage V = 30 kV electron density of extracted beam is larger and finally in Figure 6.e for the extraction voltage of V = 100 kV the largest or closest density of electron beam density is obtained. From this it can be concluded that the calculation of analytical and simulation using 3D opera program obtained similarity that the higher the extraction voltage hence the higher density of electron beam currents are extracted and proved that at the extraction voltage of 100 kV then the density of electron beam obtained is the maximum/most dense compared to the smaller extraction voltage thereof.

CONCLUSION

The extraction of the electron beam on the PEI system in the area near the electron motion extraction hole is slowed by potential barriers, can be demonstrated from the use of a simulation (Opera program) with a plasma surface voltage of V = 150 volts on a variation value of extractor high voltage of 5 kV and 10 kV. The density of the electron beam current will appear larger in the simulation by mounting the higher extraction voltage i.e. at a voltage of V = 20 kV, 30 kV and 100 kV respectively.

ACKNOWLEDGMENTS

The authors would like to thank the head of PSTA-BATAN who has funded this research through DIPA fund of 2016, to Prof. Efim Oks who has provided much knowledge about the theory and technology of electron extraction on PEI system, as well as to all members of PEI PSTA-BATAN group; Prof. Sudjatmoko SU, Drs. Widdi Usada, Bambang Siswanto S.Si, Ir. Wiryoadi, Drs. Budi Santoso MT, Anjar A.H. SSi and Ihwanul Aziz, ST for all their input and suggestions so that this scientific paper can be finished.

REFERENCES

- [1] J.A. BITTENCOURT, Fundamental Of Plasma Physics, Research Scientist and Professor Institute For Space Research (INPE), p.663-664, Pergamon Press (Aust.) Pty. Ltd., PO. Box544, Potts Point, N.S.W., Australia (2011)
- [2] J.Z. GLEIZER, V. VEKSELMAN, S. YATOM, J. FELSTEINER, and Y.E. KRASIK, Radiation Effects & Defects in Solids, iFirst, (2011) 1-10.
- [3] J.Z. GLEIZER, Y. HADAS, V.T. GUROVICH, J. FELSTEINER, and Y.E. KRASIK, Journal of Applied Physics 103, 043302 (2008) 043302-1 - 043302-11.
- [4] http://www.glow-discharge.com/?Physical_background:Glow_Discharges
 : Discharge Regimes (2014).
- [5] EFIM OKS, Lecture 4 General features of plasma elektron emission, Accelerator School, Yogyakarta, Indonesia 5th 9th Dec. (2011).
- [6] EFIM OKS, *Lecture 6 Elektron Extraction*, presented in BATAN Accelerator School, Yogyakarta, Indonesia, 5th 9th Dec. (2011).
- [7] EFIM OKS, Lecture 3 The Plasma Sheath, Yogyakarta, Indonesia 5th 9th Dec. (2011).
- [8] AGUS PURWADI, "Emisi Elektron dan Penentuan Dimensi Bejana Generator Plasma untuk Perangkat Iradiator Elektron Pulsa", Prosiding Pertemuan Ilmiah XXIX HFI Jateng & DIY, Yogyakarta 25 April 2015, ISSN 0853-0823
- [9] EFIM OKS, Lecture 5 Formation of Electron Beams From Extending Plasma, presented in BATAN Accelerator School, Yogyakarta, Indonesia, 5th 9th Dec. (2011).
- [10] S. Schiller, U. Heisig, and S. Panzer, *Electron Beam Technology*. New York: John Wiley & Sons Inc., 1982.
- [11] J. R. Pierce, *Theory and Design of Electron Beams*. New York: D. Van Nostrand Company. Inc, 1954.

and the second of the second o

THE STREET WESTERIE A SOUTH SERVICE ON STREET

- [12] WIDDI USADA, LELY SUSITA RM, AGUS PURWADI, Karakteristik Spot Plasma Pada Lucutan Busur Plasma, Prosiding Pertemuan dan Presentasi Ilmiah Penelitian Dasar Ilmu Pengetahuan dan Teknologi Nuklir, ISSN 0216-3128, Yogyakarta, 4 Juli 2012.
- [13] ANNA KRAVCCHENKO and HAKAN CANDAN, Glow Discharge, First published on the web: 09.12.2007. The text is based on a lecture given by Zoltan Donko, RISSP Budapest, at the first training course in Antwerp Sept. (2007)
- [14] A. K. Nehra, R. K. Gupta, S. M. Sharma, P. C. Panda, Y. Choyal, and R. K. Sharma, "Design and Simulation of Electron Gun for a Multibeam Klystron," *J. Phys. Conf. Ser.*, vol. 390, p. 12037, 2012.
- [15] EFIM OKS, Lecture 4 Electron Emission From Plasma, presented in BATAN Accelerator School, Yogyakarta, Indonesia, 5th 9th Dec. (2011).
- [16] AGUS PURWADI, TAUFIK, LELY SUSITA R.M., SUPRAPTO, SAEFURROCH-MAN, ANJAR A.H., KURNIA WIBOWO, IHWANUL AZIZ, AND BAMBANG SISWANTO, Electron beam extraction on plasma cathode electron sources system, AIP Conference Proceedings 1824, 030031 (2017); doi: http://dx.doi.org/ 10.1063/1.4978849

er Alexando Alexando e en 1900, en el como Mineral addición de 1905 que 1 Como Alexandro en 1906 que en 1906 que en 1906 que 1906 que 1906 que 1906 que 1908 que 1908 que 1909 que 1909 Como Alexandro en 1908 que 1909 que 1

Pariet et linearistica de la como de la como

84.18794.J