1	Performance Characteristic and Microbial Activity of Anaerobic Swine Lagoons
2	Cynthia Henny <sup>1</sup> , Melanie R. Mormile <sup>2</sup> , Joel G. Burken <sup>2</sup>
3	
4	
5	<sup>1</sup> Research Center for Limnology, LIPI, Cibinong, 16911
6	<sup>2</sup> Environmental Research Center, University of Missouri-Rolla, MO 65409, USA
7	
8	Key words: Anaerobic Metabolism, Methanogenesis, Anaerobic lagoons, Swine Wastes
9	
10	Abstract
11	Anaerobic lagoons are routinely used to effectively treat swine waste. However such lagoons can
12	fail and often generate offensive odors. To function properly, anaerobic lagoons rely upon
13	system management such as proper organic loading, and solids removal, and balanced anaerobic
14	microbial activity from fermentation to methanogenesis. Disturbances to this balance may result
15	in elevated hydrogen and a buildup of volatile fatty acids that can inhibit methanogens,
16	ultimately disrupting treatment. Excessive volatile fatty acids cause problematic odors, as does
17	H <sub>2</sub> S produced by sulfate-reducing bacteria (SRB). Performance characteristics and microbial
18	activity in a functional (actively methanogenic, non-odoriferous) and non-functional lagoon
19	(lacking gas production, malodorous) was studied to determine organic carbon removal
20	efficiency as methane production and levels of hydrogen concentrations as possible indicators of
21	metabolic health. Factors that might negatively impact methane production were also
22	investigated. In addition, a microcosm study conducted at four different temperatures: 4, 10, 25
23	and 35°C was performed to determine the impact that temperature had on methane production

1	and hydrogen concentrations. The methane production rates were positively correlated to
2	temperature for both lagoons. Surprisingly, the number of methanogens was higher in the non-
3	functional lagoon. Both lagoons established apparent low steady state concentrations of
4	hydrogen as well as near neutral pH values. Organic overloading that might negatively impact
5	the methane production was apparent in the non-functional lagoon; albeit, the ratio of
6	methane/SCOD for both lagoons was not significantly different. However, high sulfate
7	concentration in the waste resulted in high SRB numbers in the non-functional lagoon,
8	suggesting that excessive production of H <sub>2</sub> S by SRB might create an odor problem in the non-
9	functional lagoon. Purple sulfur bacteria, as indicated by a purple colored layer in anaerobic
10	lagoons, can reduce odor by consuming $H_2S$ . Moreover, the non-functional lagoon displayed no
11	signs that purple sulfur bacteria were present, suggesting that purple sulfur bacteria may have an
12	important role in odor reduction.

#### 14 **INTRODUCTION**

15

Anaerobic lagoons commonly treat swine wastes in the United States and are effective at decomposing many kinds of organic matter [1, 2, 3]. These lagoons rely on microbial activity and management practices such as solids separation prior to treatment, periodic solids removal and suitable organic loading rates to help maintain functionality [1-7]. Lagoons, however, can frequently generate considerable odors due to hydrogen sulfide and volatile organic compounds [4, 8-10].

Animal waste consists of complex organic compounds including carbohydrates, protein,
 and fats. Anaerobic degradation of animal waste is carried out by a series of reactions catalyzed

1	by anaerobic microorganisms ranging from fermentative to methanogenic bacteria (Figure 1) [6,
2	7, 11]. These bacteria rely on synergistic relationships to produce metabolic
3	products/intermediates resulting in balanced anaerobic metabolic reactions. During the initial
4	metabolic step, the fermentative bacteria convert biodegradable organic matter to organic acids
5	such as volatile fatty acids (VFA), and hydrogen. This is followed by the activity of fatty acid
6	oxidizing bacteria (FAOB) that convert VFA such as propionate and butyrate into acetate and
7	hydrogen that are transient intermediates along with carbon dioxide [7, 11-13]. Hydrogen and
8	carbon dioxide in turn can also be converted to acetate by homoacetogens [12, 13]. In the final
9	metabolic steps, acetate can be converted to methane by acetoclastic methanogens, while
10	hydrogen and carbon dioxide can be converted to methane by hydrogenotrophic methanogens [7,
11	11-15]. However, if sufficient sulfate is present, sulfate-reducing bacteria (SRB) will utilize
12	these intermediates and generate hydrogen sulfide and carbon dioxide [16, 17]. A balance of
13	metabolic reactions from fermentation to methanogenesis is critical for swine lagoons to function
14	properly. For example, disturbances to this balance may result in elevated hydrogen and a
15	buildup of VFA. Hydrogen partial pressures exceeding 10 <sup>-4</sup> atm (80.7 nM dissolved hydrogen)
16	inhibits the oxidation of fatty acids resulting in elevated concentrations of VFA [6, 7, 11, 18, 19].
17	These elevated acids lower pH and can inhibit methanogens, further disrupting treatment.
18	Moreover, excessive VFA cause problematic odors, as can the H <sub>2</sub> S produced by SRB.
19	Other microorganisms that can be present in anaerobic lagoons are photosynthetic purple
20	sulfur and non-sulfur bacteria (Figure 1) [20-22]. The presence of photosynthetic purple bacteria
21	in anaerobic lagoons is indicated by pink or purple hues of lagoons. Pink to purple colored
22	lagoons are thought to indicate that the lagoons are functioning well and generally, have less
23	offensive odor than grayish or black lagoons lacking populations of purple bacteria.

1 Photosynthetic purple bacteria have been shown to consume ammonia, hydrogen sulfide, and the



2 excess VFA that cause odor [20, 22].

4

3

5 Figure 1. Sulfate reduction and methanogenesis in anaerobic processes 6 Lagoon management practices should provide suitable environmental conditions for the 7 requisite microorganisms leading to the stabilization of swine wastes. Various factors that 8 potentially can have negative impacts on the microbial population resulting in disturbances 9 during the operation of anaerobic lagoons include organic overloading, temperature fluctuations, 10 decreases in pH, salts buildup, ammonia accumulation, and the use of antibiotics and 11 disinfectants. Organic overloading can result in intermediate buildup resulting in an imbalance 12 to the anaerobic metabolic reactions in the lagoons to lagoon failure [4, 6, 7, 11, 14]. 13 Additionally, organic overloading can inhibit the purple photosynthetic bacteria in the lagoon. 14 Organic solids loading of more than 3 g [dry weight]/ L is inhibitory towards the growth of 15 photosynthetic bacteria [22]. Low temperature and pH values can reduce the rate of

1	methanogenesis and can lead to the subsequent accumulation of VFA in anaerobic lagoon
2	systems [15, 23]. Among potential negative impacts, salt and ammonia accumulation can be
3	toxic to anaerobic bacteria in the lagoon [4, 6, 24, 25]. The application of disinfectants to clean
4	the animal facilities and antibiotics used in the feed [26, 27] as well as to treat ill animals, can
5	potentially disturb the anaerobic processes in the lagoons. Antibiotics and disinfectants have
6	potential to reduce the number of requisite bacteria to a point where they can no longer recover,
7	resulting in the uncoupling of metabolic reactions.
8	The broad objective for this study was to compare microbial activity in a functional
9	(actively bubbling, not odoriferous) to a non-functional lagoon (no active gas production,
10	malodorous) in a microcosm study to evaluate methanogenesis function.
11	
12	MATERIALS AND METHODS
13	
14	Lagoon selection
15	Two anaerobic lagoons treating swine waste, one classified as functional and the other as
16	non-functional were selected for this study. The functional lagoon is a single-stage system with

18 being flushed and washed down. The water recycled from the lagoon is used to wash down the

semi-annual solids removal. The lagoon receives wastes that have been collected in a pit before

19 waste from the pit. The lagoon turns purple in the warm weather. The lagoon size is 65.5 m (L)

20 x 58.8 m (W) with the depth range from 2.4 to 5.5 m (Figure 2). The non-functional study

17

21 lagoon is the initial stage of a two-stage system without solid separation, recycle and solid

22 removal. The first stage is a primary treatment lagoon where the solids accumulate, while the

23 second stage receives overflow from the initial stage lagoon. The treatment lagoon size is 54 m

(L) x 21.6 -36.6 m (W) with the depth ranging from 0.3 to 2.7 m (Figure 3). The sludge depth
varies from 0.3 to 1.2 m. The lagoon is grayish or black colored lagoon with high sludge
accumulation. Groundwater containing approximately 37 mg/L sulfate is used to flush waste to
this lagoon.

5

#### 6 Sample collection

7 For sampling, each lagoon was divided into quarters, laterally and longitudinally. The 8 intersection of these lines determined the sample locations. Depth profile samples, surface, 9 middle, bottom and sediment were collected at each point. There were eight sampling locations 10 for the non-functional lagoon and nine sampling locations for the functional lagoon (Figures 2 11 and 3). Samples were also taken from the waste inlet of each lagoon for waste characterization. 12 Samples were taken at location 3, 5 and 7 for lab analyses, such as total solids/volatile solids 13 (TS/VS), soluble chemical oxygen demand (SCOD), ammonia-N, ions (sulfate and chloride), 14 and VFA concentrations. For microcosm studies, samples were collected at location designated 15 #5 in each lagoon. Slurry and sediment samples were collected from a boat on a semi-annual 16 basis. Surface, middle and bottom slurries were collected by using a Van Dorn-style water 17 sampler (Cole Parmer, Vernon Hills, IL). Sediment was collected by using an Ekman dredge. 18 Water samples used to prepare slurries were placed in Nalgene polyethylene bottles that were 19 pre-rinsed on site with the respective lagoon liquid. Sediment samples were placed in 1 L glass 20 jars. Samples were transported to the lab in a cooler and stored at 4°C prior to analysis and 21 microcosm studies. Samples for VFA analysis were frozen prior to analysis.

22

23 Onsite measurements

Onsite analysis, which included pH, temperature, dissolved oxygen (DO), oxidation
 reduction potential (ORP) and conductivity, were measured at the surface, middle and bottom
 depths of all sampling locations. These parameters were measured by using a Water Analyzer
 (Cole Parmer, Vernon Hills, IL) equipped with DO, pH, ORP, conductivity probes and thermo
 sensor. All probes were calibrated with standard solutions.

6

### 7 Microcosm studies

8 Microcosms were prepared within 24 hours after sampling. Autoclaved 160-mL serum 9 bottles were filled with 100 mL of slurry or sediment and 0.1 ml of resazurin solution (10 g/L) in 10 an anaerobic glovebag containing10% H<sub>2</sub>:90%N<sub>2</sub> to determine the microbial activity. 11 Microcosms were prepared in triplicate. The bottles were sealed with butyl rubber stoppers 12 (Bellco Glass, Inc, Vineland, NJ) and aluminum seals. The headspace of each microcosm was 13 exchanged with oxygen free N<sub>2</sub> gas. Slurry that was collected at least 4 days prior to the 14 experiment was autoclaved three consecutive days for 30 minutes at 121°C in order to prepare 15 negative controls. The microcosms were incubated at 4, 10, 25, and 35 °C on shaker tables (Cole 16 Parmer, Vernon Hills, IL) with rotation set at 52 rpm. Pressure, along with hydrogen and 17 methane concentrations, was measured at 0, 24, 48, 72, 120, and 168 hours. Samples for soluble 18 chemical oxygen demand (SCOD) and VFA in the slurry were measured at 0 and 168 hours.

19

#### 20 Microbial Population

Methanogens, fatty acid oxidizing bacteria, and sulfate reducing bacteria were
enumerated by using a most probable number (MPN) assay. A mineral basal medium was used
[11] with resazurin added as a redox indicator. Acetate was provided as a carbon source for

methanogens. Acetate and lactate were provided as electron donors and sulfate salts (5.3 mM
sulfate) as FeSO<sub>4</sub>.7H<sub>2</sub>O and Na<sub>2</sub>SO<sub>4</sub> were provided as electron acceptors for SRB growth.
Propionate was added into the media for FAOB. A pure culture of methanogens (JF1 culture)
was inoculated into culture tubes in order to scavenge the hydrogen produced by FAOB [11].
All MPN tubes were incubated in the dark at room temperature for one month.

6

#### 7 Analytical methods.

8 Total solids (TS) and volatile solids (VS) were measured by using standard methods [28]. Slurry, 15 mL, was centrifuged at 10,000 G for 10 minutes and filtered with 0.2µM nylon 9 10 syringe filter (Whatman, Inc, Clifton, NJ) prior to SCOD, ammonia-N, VFA and salts analyses. 11 Chemical oxygen demand (COD) was measured by using Hach Method 8000 (Hach, Loveland, CO). Ammonia-N in the slurry was analyzed by using Hach Method 10031 (Hach, Loveland, 12 13 CO). The concentration of VFA (acetic acid, propionic acid, isobutyric, and butyric acid) in the 14 slurry samples were analyzed by using gas chromatography (GC) with a flame ionization 15 detector (FID) model 8610B (SRI Instruments, Torrance, CA). One micro liter injections of the 16 supernatant were made on to a 15 m Nukol capillary column (0.53 m ID, 0.5 µm film, Supelco, 17 Bellefonte, PA). The gradient program was started at 120 °C and ramped at 8 °C/minute for 5 18 minutes. The method detection limit (MDL) for each VFA analyzed was as follows: acetic acid, 19 0.86 mM, propionic acid, 0.46 mM, isobutyric acid, 0.64 mM and butyric acid, 0.41 mM. 20 Sulfate and chloride was measured by using an ion chromatography (IC) (Model DX, Dionex, 21 Sunnyvale, CA) equipped with an AS4A column and a AG4A guard column. An eluent solution 22 of Na<sub>2</sub>CO<sub>3</sub> (9 mM) was used. The headspace pressure was determined by using a PX26-100GV 23 (0-100 psig) series pressure transducer (Omega, Stamford, CT) [29] with a 26-gauge disposable

1	needle to penetrate the stopper of the microcosms. Headspace CH <sub>4</sub> was measured by using a GC
2	equipped with FID (Model Varian 3400, Walnut Creek, CA). The injector, column, and detector
3	were held at 100°C, 105°C, and 120°C, respectively. Nitrogen (80 psig, 30 ml/min) was used as
4	a carrier gas. The FID was supplied with hydrogen (40 psig, 30 ml/min) and air (60 psig, 300
5	ml/min). A stainless steel 80/100 Porapak Q (6 ft by 1/8in) packed column (Supelco, Bellefonte,
6	PA) was used to resolve methane. The headspace sample volume was 0.2 ml. The MDL of $CH_4$
7	was 13 $\mu$ M. Headspace H <sub>2</sub> concentrations were measured by using a gas analyzer (Model 3000,
8	Molecular Analytical, Sparks, MD). Nitrogen was used as a carrier gas at a 25 ml/min flow rate.
9	The column temperature was maintained at 105°C and the detector at 265°C. Headspace
10	samples (500 $\mu$ l) were pulled from the microcosms and then diluted with purified nitrogen gas to
11	5 ml. The hydrogen concentrations in the slurry samples were calculated by using the Ostwald
12	coefficient for each temperature [30] and with the assumption that the solvent was pure water.
13	
14	RESULTS AND DISCUSSION
15	
16	Influent and lagoon slurry SCOD and TS/VS concentrations were significantly different
17	between the lagoons (Table 1). Solids accumulation was visually apparent in the non-functional
18	lagoon. The organic loading rate calculated based on the influent VS, the flow rate and the
19	estimated lagoon's volume ranged from 24.7 to 56.5 g of VS/m <sup>3</sup> /day, and 100.7 to 188.9 g of
20	VS/m <sup>3</sup> /day for the functional and non-functional lagoon, respectively. Maximum loading rate
21	recommended in Iowa, South Carolina and North Carolina are 61.8, 79.5 and 67.9 g of
22	VS/m <sup>3</sup> /day respectively [1, 4], and the non-functional lagoon exceeded these recommendations
23	by approximately double. Although apparent organic overloading was observed in the non-

functional lagoon, a similar range of lagoon slurry pH was observed in both lagoons. The pH
 values of lagoon slurries were near neutrality and did not differ (Table 2). This indicated that
 both lagoons have well-buffered systems helping to maintain the activity of pH sensitive
 microorganisms, especially methanogens [14, 15].

5 There was a positive correlation between methane production rates and temperature for 6 both lagoons. The non-functional lagoon microcosms generated more methane than the 7 functional lagoon microcosms. However, when methane production was normalized to SCOD, 8 subtle differences between the lagoons became apparent for the fall samples (Figures 4 and 5). 9 The ratio methane/SCOD for sediment samples at 35°C of the functional lagoon was slightly 10 higher than that of the non-functional lagoon. The methane production per kg SCOD per day at 11 35 ° C for fall samples ranged from 0.8 for surface slurry samples to 13.2 mol/kg/day for 12 sediment samples for the non-functional lagoon and ranged from 2.6 for surface slurry samples 13 to 16.0 mol/kg/day for sediment samples for the functional lagoon. The results indicate that the 14 apparent organic overloading did not significantly inhibit methanogenesis in the lagoon. Lagoon 15 samples from bottom and sediment layers produced significantly more methane than slurry taken 16 from the surface and middle depths (Figures 4 and 5).

Hydrogen and acetate are important intermediates during the anaerobic degradation of organic waste and can serve as substrates for methanogens. However, hydrogen is a critical though transient intermediate in anaerobic environments. Degradation of fatty acids by FAOB thermodynamically requires low H<sub>2</sub> concentrations [11, 12, 13]. Hydrogen has to be maintained at a level low enough to allow exergonic H<sub>2</sub> production by fatty oxidizing bacteria while remaining high enough to allow methanogenesis from H<sub>2</sub> [12-15] The hydrogen concentrations in the microcosms reached an apparent low-level steady state for both functional and non-

functional lagoons. The steady state hydrogen concentrations at 25°C and 35°C ranged from 1 2 0.01 to 0.03 µM for the functional lagoon and ranged from 0.02 to 0.05 µM for the non-3 functional lagoon (Figures 6 and 7). The range of steady state hydrogen concentrations was 4 close to the value of hydrogen concentrations reported in methanogenic lake Mendota sediment 5  $(0.04 \ \mu M)$  [21], but low in comparison to the median value of hydrogen concentrations reported 6 for landfill samples (1.9  $\mu$ M) [13] and sewage sludge (0.2  $\mu$ M) [19]. Volatile fatty acids were 7 detected in the early summer in the non-functional lagoon as acetate, propionate and butyrate 8 (Table 1), while there was no accumulation in the functional lagoon. The VFA analyses of all 9 microcosms exhibited non-detectable concentrations. Our hydrogen and VFA analyses indicated 10 that there was no sign of hydrogen and VFA accumulation to a level inhibitory to FAOB and 11 methanogenic bacteria.

12 The estimated number of methanogens in the sediment of the non-functional lagoon was 13 one order magnitude higher than those in the functional lagoon, while FAOB were 14 approximately two orders of magnitudes higher in the non-functional lagoon than those in the 15 functional lagoon (Table 3). These results suggested that the requisite microbes for 16 methanogenesis were present in both lagoons. The MPN results for population of SRB were also 17 one order magnitude higher in the sediment of the non-functional lagoon than those of the 18 functional lagoon (Table 3). The average of influent sulfate concentration was 185 mg/L and 19 19 mg/L for non-functional and functional lagoons, respectively (Table 1). The results of sulfate 20 concentrations in the lagoon slurry indicated that more sulfate reduction occurred in the non-21 functional lagoon than in the functional lagoon (Table 2). A lack of solids removal and use of 22 groundwater containing a high concentration of sulfate to flush wastes may cause a proliferation

- 1 of SRB and generation of H<sub>2</sub>S that produces a component of nuisance odors in the non-
- 2 functional lagoon.

3 Although, there was apparent organic overloading, there was no indication 4 methanogenesis was inhibited in the non-functional lagoon. The hydrogen and VFA analyses as 5 well as MPN results for population of methanogens and VFA oxidizers were in agreement with 6 this finding. Anaerobic lagoons are considered electron donor rich environments and electron 7 acceptor poor as are landfills and sewage digesters. As previously reported for landfills and 8 anaerobic digesters, organic overloading can cause an accumulation of H<sub>2</sub> and VFA resulting in 9 low pH values and reduced methanogenic activity [11, 31]. However, this pattern was not 10 observed in our study where the organic loading in the non-functional lagoon exceeded 11 recommended maximum loading rate for a typical swine lagoon. Due to the influx of sulfate in 12 the rinse water, this lagoon was not electron acceptor poor and microorganisms other than 13 methanogens, such as sulfate reducing bacteria, were mineralizing the carbonaceous wastes. 14 Hydrogen and VFA can serve as electron donors for these organisms. 15 The organic overloading and lack of solids removal practices in the non-functional 16 lagoon resulted in a solids build up and effectively reduced the liquid volume of the lagoon. 17 Reduced liquid volume of the lagoon can have the same effect as an increase in loading rate 18 resulting in a further decrease in the retention time, thereby reducing the efficiency of treatment. 19 Significant anaerobic degradation was observed in the non-functional lagoon, however, with 20 higher biomass and substrates, the kinetic limitations were pushed to a maximum growth rate for 21 bacteria. The kinetic limitations can lead to incomplete COD reduction. This decreased 22 treatment efficiency can cause an increase in odor frequency as observed in the non-functional 23 lagoon. This ineffective treatment, along with H<sub>2</sub>S generation by SRB leads to an odor problem.

1 As a lagoon stabilizes and desired bacterial populations develop, the color of the lagoon 2 changes from brown to pink or purple during the late spring. Gas bubbling from high biogas 3 production can also be visualized. Pink or purple colored lagoons indicate the presence of 4 phototrophic purple bacteria. Photosynthetic purple bacteria consume odor compounds such as 5 hydrogen sulfide, ammonia and excess VFA [20-22]. Therefore, pink or purple lagoons with 6 uniform gas bubbling have low offensive odor. In contrast, black colored lagoons typically 7 possess unpleasant odors and sludge can build up at a high rate [4, 32]. It appears that a black 8 color is also an indication of organic overloading [33]. The non-functional lagoon studied here 9 was a black colored lagoon with sludge accumulation. The phototrophic purple bacteria were not 10 quantified in this study; however, it was obvious that the non-functional lagoon displayed no 11 signs that photosynthetic purple bacteria were present. One probable reason is that organic 12 overloading can inhibit the purple photosynthetic bacteria in the lagoon. An organic load at 3.5 g 13 [dry weight]/ L decreased the population of photosynthetic bacteria in sewage treatment [34]. 14 Additionally, reduced light penetration due to high solids content in the slurry can inhibit the 15 growth of photosynthetic purple bacteria. Turbidity data in the non-functional lagoon slurry was 16 higher than that of the functional lagoon (Table 2). Previous research established that an organic loading rate at 111 g of VS/m<sup>3</sup>/day will produce a significant odor near lagoons 60 % of the time 17 18 [1, 4]. Therefore, the odor problem in the non-functional lagoon may be due to higher H<sub>2</sub>S 19 production and ineffective treatment of organics in this system. Promotion of conditions 20 conducive to the development of a population of purple sulfur bacteria might reduce the 21 offensive odors.

In addition, high ammonia concentrations can negatively impact anaerobic metabolism
 and lead to odor problems. Influent N-ammonia concentrations were 295 – 504 mg/L for non-

functional lagoon and 125 – 292 mg/L for functional lagoon (Table 1). It is reported that total
ammonia nitrogen in lagoons should be kept below 1500 mg/L [4] and that ammonia
concentrations of 1100 mg/L and above can cause inhibition on methanogenesis in anaerobic
digester [27, 28]. As the ammonia nitrogen levels in the lagoons studied were lower than those
guidelines, ammonia probably was not a contributor to the noxious odor at the non functional
lagoon.

Another potential impact to lagoon microbiota is high concentrations of salt. The
conductivity measured in the lagoon slurry ranged from 4600 to 5900 µmho/cm for functional
lagoon and ranged from 3600 to 3710 µmho/cm for functional lagoon (Table 2). Conductivity, a
measure of the level of salts can also be monitored to observe lagoon performance. Conductivity
range of 2000 to 8000 µmho/cm indicates non-inhibitory levels of salts [4, 6, 27]. As with the
ammonia concentrations measured in the studied lagoons, the salt levels were also not inhibitory
to the anaerobic microbial activity in these systems.

14

#### 15 CONCLUSIONS

16

The apparent organic overloading in our selected non-functional lagoon did not appear to inhibit methanogenesis. Hydrogen reached apparent steady state concentrations while there was no VFA accumulation in the microcosms. Higher concentrations of methanogens, sulfatereducing bacteria, and fatty acid oxidizing bacteria were observed in the non-functional lagoon indicating the presence of the requisite microbes for anaerobic metabolism. There was no accumulation of ammonia or salts to inhibitory levels. Though the non-functional lagoon did not perform optimally with respect to sludge buildup and odor production, significant anaerobic

1	degradation still occurred. However, this lagoon is probably kinetically limited due to both high										
2	loading rates and solids accumulation, leading to incomplete COD reduction. The odor issue										
3	perceived from the non-functional lagoon is partially associated with hydrogen sulfide generated										
4	by SRB populations that are proliferated by the high sulfate concentration of flush water.										
5	Management practices such as solids removal and using recycled water may improve the lagoon										
6	performance, especially in controlling odor and lowering sulfide and COD levels.										
7											
8	Acknowledgements The research was supported by the U.S. Environmental Protection Agency										
9	(XP-99795901-0). The authors thank Matthew Satterfield, Kevin Morrissey and Michael										
10	Richards for their assistance in both the field and laboratory. The authors also thank the CAFO										
11	operators for permitting and assisting with this research activity at their facilities.										
12											
13	References										
14 15 16 17	<ol> <li>ASAE. 1998. Design of anaerobic lagoons for animal waste management. ASAE EP 403.3. ASAE Standards 1998. American Society of Agricultural Engineers. 2950 Niles Road, St. Joseph, MI, p. 656-659.</li> </ol>										
18 19 20	<ol> <li>U. S. EPA. 1996. Swine cafo for odors: Guidance for environmental impact assessment U. S. EPA Region 6. Dallas, Texas, p. 5-6.</li> </ol>										
21 22 23 24	<ol> <li>Sweeten, J. M. 1980. Waste treatment: State-of-the-art. <u>In: Lifestock Waste: A</u> <u>Renewable Resource. Proceedings of the 4<sup>th</sup> International Symposium on Livestock</u> <u>Wastes</u>. ASAE. St. Joseph, MI, p. 334-338.</li> </ol>										
24 25 26 27	<ol> <li>Miner J. R., F. J. Humenik, and M. R. Overcash. 2000. Managing livestock wastes to preserve environmental quality. Iowa State University Press. Ames.</li> </ol>										
28 29 30	<ol> <li>Barker, J. C. and L. B. Drigger. 1985. Pit recharge system for managing swine under floor manure pits. <u>In: Agriculture Waste Utilization and Management. Proceedings of the</u> <u>5<sup>th</sup> International Symposium on Agriculture Wastes</u>. ASAE. St. Joseph. MI, p. 575-581.</li> </ol>										
21											

7. Mc Carthy, P. L. and D. P. Smith. 1986. Anaerobic wastewater treatment. *Environ. Sci. Technol.* 20, p.1200-1206.

- 8. North Carolina Agriculture Research Service. 1998. Control of odor emissions from animal operations. North Carolina State University. pp.43
- 9. Williams, A. J. 1984. Indicators of piggery slurry odour offensiveness. Agriculture Wastes. 10, p. 15 36.
- Galvin, G., K. D. Casey, E. J. McGahan, S. A. Lowe and M. G. Atzen. 2002. Effect of season and loading rate on odour emission from piggery anaerobic lagoons in Australia. ASAE Annual International meeting/CIGR XVth World Congress July 28 - 31. Chicago.
- Mormile, M., K. Gurijala, J. Robinson, M. McInerney and J. Suflita. 1996. The importance of hydrogen in landfill fermentations. *Appl. Environ. Microbiol.* 62, p.1583-1588.
- 12. Conrad, R. 1999. Contribution of hydrogen to methane production and control of hydrogen concentrations in methanogenic soils and sediments. *FEMS Microbiology Ecology*. 28, p.193-202.
- 13. Schink, B. 1997. Energetics of syntrophic cooperation in methanogenic degradation. *Microbiology and Molecular Biology Reviews*. 61(2), p. 262-280.
- Vogels, G. D., J. T. Keltjens and C. van Der Drift. 1988. Biochemistry of methane Production. <u>In Zehnder, A. J. B (ed), Biology of Anaerobic Microorganisms</u>. John Wiley & Sons. New York, p. 469-586.
- Zinder, S. H. 1993. Physiological Ecology of Methanogens. <u>In Ferry J. G (ed)</u>, <u>Methanogens: Ecology, Physiology, Biochemistry and Genetics</u>. Chapman & Hall. New York, p. 26 – 206.
- 16. Postgate, J. R. 1979. The Sulphate-Reducing Bacteria. Cambridge University Press. New York, 151 p.

 Widdel, F. 1988. Microbiology and Ecology of Sulfate- and Sulfur-Reducing Bacteria". <u>In A. J. B. Zehnder (ed.), Biology of Anaerobic Microorgsnisms</u>, John Wiley & Sons, New York, p. 469-586.

 Fennel, D. E., J. M. Gosset and S. H. Zinder. 1997. Comparison of butyric acid and ethanol, lactic acid, and propionic acid as hydrogen donors for the reductive dechlorination of tetrachloroethene. *Environ. Sci. Technol.*. 31(3), p. 918-926.

- 19. Conrad, R., T. J. Phelps and J. G. Zeikus. 1985. Gas metabolism evidence in support of the juxtaposition of hydrogen-producing and methanogenic bacteria in sewage sludge and lake sediments. *Appl. Environ. Microbiol.* 50, p. 595-601.
  - Lotringen, J. M. V. and J. B. Gerrish. 1978. H<sub>2</sub>S removal by purple sulfur bacteria in swine waste lagoons. Proceeding of the 32<sup>nd</sup> Industrial Waste Conference. Purdue University, p. 440-448.
  - 21. Kobayashi, H. A., M. Stenstrom and R. A. Mah. 1983. Use of photosynthetic bacteria for hydrogen sulfide removal from anaerobic waste treatment effluent. *Water Res.* 17(5), p. 579-587.
- 22. Do, Y.S., M. T. Schmidt, J. A. Zhan, E. S. Boyd, A. de la Mora and A. A. Dispirito. 2003. Role of Rhodobacter sp. Strain PS9, a purple non-sulfur photosynthetic bacterium isolated from anaerobic swine waste lagoon, in odor remediation. *Appl. Environ. Microbiol.* 69 (3), p. 1710-1720.
  - 23. Masse', R. L., R. L. Droste, K. J. Kennedy, N. K. Patni, and J. A. Munroe. 1997. Potential for the psychrophilic anaerobic treatment of swine manure using a sequence bacth reactor. *Canadian Agricultural Engineering*. 39 (1), p. 25-33.
  - 24. Mc Carthy, P. L. 1964. Anaerobic waste treatment fundamentals. *Public Works*. 95(11), p. 91-94.
  - 25. Hansen, K. H., I. Angelidaki and B. K. Ahring. 1998. Anaerobic digestion of swine manure: inhibition by ammonia. *Wat. Res.* 32(1), p. 5 12.
  - 26. Hilpert, R., J. Winter and O. Kandler. 1984. Agricultural feed additives and disinfectants as inhibitory factors in anaerobic digestion. *Agricultural Wastes*. 10, p. 103-116.
- 27. Poels, J., P. Van Assche and W. Verstraete. 1984. Effects of disinfectants and antibiotics on the anaerobic digestion of piggery waste. *Agricultural Wastes*. 9, p. 239-247.
- 28. APHA. 1992. Standard Methods. 18<sup>th</sup> edition.
- 29. Suflita, J. M and F. Concannon. 1995. Screening tests for assessing the anaerobic biodegradation of pollutant chemicals in subsurface environments. Journal of Microbiological Methods 21:267-281.)
- 30. Letterman R. D. ed. 1999. Water quality and treatment: A handbook of community water supplies. 5<sup>th</sup> ed, McGraw-Hill, New York, NY, USA, p. 58.
- 43 31. Harper, S. R., and F. G. Pohland. 1986. Recent developments in hydrogen management
   44 during anaerobic biological waste treatment. *Biotechnology and bioengineering*, p. 558 45 562.

1	32. Paing, J., B. Picot and A. Rambaud. 2000. Sludge accumulation and methanogenic
2	activity an anaerobic lagoon. Water Science and Technology. 42(10-11), p. 247-255.
3	
4	33. USDA. July 1996. Agriculture waste characteristics. Part 651 Agriculture Waste
5	Management Field Handbook, rev. 1.
6	
7	34. Siefert, E. R. L. Igrens, R. L. and N. Pfenning. 1978. Phototrophic purple and green
8	bacteria in a sewage treatment plant. Appl. Environ. Microbiol. 35, p. 38-44
9	

# 1 Figure legends

2	Figure 2.	Diagram of functional lagoon. Numbers represent sampling locations.
3		Effluent was taken from recycle line. Arrows indicate where waste inlet and outlet are
4		located.
5		
6	Figure3.	Diagram of non-functional lagoon. Numbers represent sampling locations.
7		Build up of solids is also indicated. Arrows indicate where waste inlet and outlet are
8		located.
9		
10	Figure 4.	Ratio of CH <sub>4</sub> (mmole)/SCOD <sub>0</sub> (mg) in functional lagoon microcosms. Error bars
11		indicate standard deviations.
12		
13	Figure 5.	Ratio of CH <sub>4</sub> (mmole)/SCOD <sub>0</sub> (mg) in non-functional lagoon microcosms. Error bars
14		indicate standard deviations.
15		
16	Figure 6.	Hydrogen concentrations in functional lagoon microcosms at $25^{\circ}C$ (A) and $35^{\circ}C$ (B).
17		Error bars indicate standard deviations.
18		
19	Figure 7.	Hydrogen concentrations in non-functional lagoon microcosms at $25^{\circ}C$ (C) and $35^{\circ}C$
20		(D). Error bars indicate standard deviations.
21		
22		
23		











Figure 5











Component	Functional	Non-functional		
pH	7.7 – 7.9	7.5 - 7.8		
VS (mg(dry weight)/mL)	0.9 - 2.0	4.0 - 7.5		
Conductivity (mS/cm)	3.70 - 3.79	2.69 - 3.40		
SCOD (mg/L)	600 - 2800	2000 - 7000		
Average sulfate (mg/L)	18.8	184.8		
N-ammonia (mg/L)	125 - 292	295 - 504		
<u>VFA (mM)</u>				
Acetate	nd	1.40 -1.53		
Propionate	nd	0.50 - 0.61		
Butyrate	nd 0.35 – 0.04			

## 1 **Table 1.** Waste characterization of influent into lagoons

2

The values are the range of the lowest and the highest values (n=6). nd= non detect.

3

4

## 5 **Table 2.** Lagoon slurry characterization, fall 2002

Component	Functional	Non-functional		
pH	$7.39 \pm 0.33$	$7.25 \pm 0.32$		
ORP (bottom $\rightarrow$ surface) (mV)	$-310 \rightarrow -137$	$-430 \rightarrow -237$		
Conductivity (mS/cm)	$3.65 \pm 0.17^{a}$	$5.34 \pm 0.41^{b}$		
<sup>c</sup> TS (mg/L)	$1811 \pm 96^{a}$	$3578~\pm~20^{\rm b}$		
<sup>c</sup> VS (mg/L)	$617 \pm 44^{a}$	$2410~\pm~20^{\rm b}$		
SCOD (mg/L)	$164 \pm 39^{a}$	$917 \pm 50^{\mathrm{b}}$		
Sulfate (mg/L)	$6 \pm 3^a$	$27 \pm 25^{\mathrm{b}}$		
Chloride (mg/L)	$147 \pm 3^{a}$	$191 \pm 4^{\mathrm{b}}$		

6 The values are means  $\pm$  standard deviations (n=9).

7 <sup>a, b</sup> Values are significantly different (P<0.01

8 <sup>c</sup> Values are from surface and middle slurries (n=6).

	Microbial	Functional				Non-functional			
	community	Surface	Middle	Bottom	Sediment	Surface	Middle	Bottom	Sediment
		(CFU/ml)	(CFU/ml	(CFU/ml)	(CFU/g)	(CFU/ml)	(CFU/ml	(CFU/ml)	(CFU/g)
			)				)		
	Methanogens	$2.4 \times 10^3$	$4.6 \ge 10^3$	$4.6 \times 10^4$	1.1 x 10 <sup>5</sup>	2.4 x 10 <sup>5</sup>	2.1 x 10 <sup>4</sup>	2.4 x 10 <sup>5</sup>	1.1 x 10 <sup>6</sup>
	SRB	2.4 x 10 <sup>5</sup>	$4.6 \ge 10^6$	4.6 x 10 <sup>6</sup>	1.5 x 10 <sup>6</sup>	2.4 x 10 <sup>7</sup>	2.4 x 10 <sup>7</sup>	2.1 x 10 <sup>7</sup>	$2.4 \times 10^7$
	FAOB	$2.3 \times 10^4$	2.4 x 10 <sup>4</sup>	2.4 x 10 <sup>4</sup>	$4.6 \ge 10^4$	2.4 x 10 <sup>5</sup>	1.1 x 10 <sup>5</sup>	$4.6 \ge 10^5$	1.1 x 10 <sup>6</sup>
2			I	1	I	I	I	L	
3									
4									
5									
6									
7									
8									
C									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
•									
21									

 
 Table 3. MPNs of selected lagoon populations, fall 2002
 

Seminar Nasional Limnologi 2006 Widya Graha LIPI Jakarta, 5 September 2006